

# NPK

**Durability, Productivity and Rebuildability**



**More hammer choices  
for skid steers, backhoes,  
loaders, excavators and  
mini-excavators**

Specifications								
NPK Model	Impact Energy Class* ft lbs	Impact Frequency bpm	Recommended Carrier Weight tons	Oil Flow gpm (lpm)	Operating Pressure psi (bar)	Working Weight lb (kg)	Tool Diameter in (mm)	Tool Working Length in (mm)
<b>GH-06</b>	<b>150</b>	480-1200	1.2-2.2	2.5-7 (10-25)	1,650 (115)	235 (107)	1.7 (42)	12.2 (311)
<b>GH-07</b>	<b>200</b>	500-1200	1.5-2.75	4-9 (15-35)	1,500 (105)	270 (125)	1.9 (47)	13.1 (333)
<b>GH-1</b>	<b>350</b>	550-1100	2.5-4.5	7-13 (25-50)	1,750 (120)	450 (205)	2.2 (57)	13.6 (346)
<b>GH-2</b>	<b>500</b>	500-1300	3-6	7-17 (25-65)	2,250 (160)	525 (240)	2.6 (66)	14.4 (367)
<b>GH-3</b>	<b>750</b>	500-1150	4-7.5	12-26 (45-100)	1,900 (130)	800 (365)	3.0 (76)	16.1 (408)
<b>GH-4</b>	<b>1,300</b>	400-1050	6.5-11	13-32 (50-120)	2,200 (150)	1,250 (570)	3.4 (86)	18 (458)
<b>GH-6</b>	<b>2,000</b>	500-800	11-15.5	24-40 (90-150)	2,400 (165)	2,150 (980)	4.2 (106)	20 (500)

All NPK hydraulic hammers are designed to eliminate the need for bladder type accumulators that are susceptible to unexpected failure and high maintenance cost. Built with only two moving parts, NPK hydraulic hammers provide the increased productivity you want and the reliability you need.

